GENETICS

A PERIODICAL RECORD OF INVESTIGATIONS
BEARING ON HEREDITY AND
VARIATION

VOLUME 17 - 1932

WITH FOURTEEN PLATES AND ONE HUNDRED ONE TEXT FIGURES

PUBLISHED BY THE
BROOKLYN BOTANIC GARDEN
BROOKLYN, NEW YORK
U. S. A.

INDEX

Page numbers printed in black-faced type refer to headings of articles or of sections. Names in lists of "Literature cited" are not included.

AGOL, I. J., 54
ALTENBURG, E., 655
Amblycorypha, 63
American Association for the Advancement of Science, 29
ANDERSON, E., 177, 178, 197, 199, 235
ANDERSON, E. G., 137, 138, 144, 145, 147, 148, 150, 382, 425, 429, 481, 497, 498, 500, **503**, 504, 695
Angiosperm, 443, 450, 452
Animal improvement, 107
Anlagen complex, 454
Antirrhinum
  glutinosum, 253
  hispanicum, 253
  Ibanyezii, 253
  majus, 176, 179, 253
  molle, 176, 253
  Segovii, 176, 179
  Self-fertility, 253
  Self-sterility, 253
Apple, 265
Arisaema, 453
Arisaema triphyllum, 439, 442
Arrenotoky, 2
Asparagus, 432
  Chromosomes, individuality of, 450
  Crosses, varietal, 436
  Cytological investigations, 443
  davuricus, 436
  Dimorphisms, sexual, 434
  Embryo sac, development of, 449
  Gametophyte, development of female, 448
  Genetic and cytological study, 434
  Hermaphroditism, **438**, 443, 454–456
  Heterotypic division, 444
  Homeotypic division, 446
  Hybridization, **435**, 438, 452, 454
  Megasporogenesis, **448**, 456
  Microsporogenesis, **444**, **447**, 448, 456
  officinalis, **432**, **433**–436, 438, 439, 442, 443, 447, 448, 450, 453–456
    Genetic and cytological investigations on, 432
    History of, 433
    Inheritance, 432
    Variation, 432
  officinalis pseudoscaber, 436
  Reversal of sex, **438**, 439, 442, 443, 452, 456
  Sex determination, mode of, **451**, 453, 455, 456
  Sex intergrades, 438
  Sex ratios, **436**, 452
Asparagus (Continued)
  Variety
    Argenteuil, 433, 436, 446, 447, 456
    Barr's Mammoth, 433, 436, 446, 447, 456
    Bonvallet's Giant, 433, 436, 446, 447, 456
    Columbian Mammoth White, 433
    Conover's Colossal, 433, **443**, **446**, 447, 456, 462
    Giant Emperor, 433, 436, 446, 447, 456
    Mary Washington, 433, 436, 437, 441–443, 446, 447, 456, 460
    Palmetto, 433, 436, 437, 446, 447, 456, 464
    Purple Dutch, 433
  virgatus, 436
Avena sativa, 695

BABCOCK, E. B., 125, 494
Bacillary white diarrhea, 203
Bacillus pestis caviae, 204
BAGG, H. J., 204, 315, 674–677, 679, 686
Balkeman test, 301
Barley, 121–123
BARLOW, N., 327, 328, 330, 332
Baroid mutation in Drosophila, 369
BARTLETT, H. H., 393, 394, 408, 574
BATESON, W., 181, 452
BAUR, E., 176, 253, 452
Bausch and Lomb oil immersion objective, 650
BEADLE, G. W., 82, 126, 135, 413, 416, 417, 419, 426, 481, 482, 485
BEAN, A. M., 3, 674
BEATUS, R., 234, 273
BELLING, J., 134, 481, 493, 495–497, 573, 661, 694
BENKERT, L. H., 7, 16, 17, 19, 20, 29
BERGEY, D. H., 204
BERNATSKY, J., 432, 435
Bernoulli system, 348
BERNSTEIN, F., 337, 349, 350
BIDDLE, R. L., 153
Biometricians, 108
Bird, 615
BITTER, G., 239
BITTNER, J. J., 468, 478
BLAKEMAN, 301
BLAKESLEE, A. F., 134, 267, 400, 573, 591, 597–599, 694
BLANCHARD, F. C., 393, 394
Blood groups, measuring linkage in human genetics with reference to, 335
BONNER, J., 370
BONNEVIE, K., 675, 676, 686
BONNIER, G., 155

Boothby, W. M., 31
Bostian, C. H., 17, 19
Bostian, N. C., 19, 29
Botanical Garden at Bremen, Germany, 239
Botanical Garden at Triest, Italy, 239
Boycott, A. E., 172
Brandt, A. E., 209, 228
Brassica, 179, 238, 261
  Hybrid, 542
  oleracea, 179, 237, 261
    Self-fertility, 237
    Self-sterility, 237, 261
  oleracea capitata, 178
  pekinensis, 266, 268
  Self-sterility, 261
Bridges, C. B., 60–62, 69–73, 81, 83, 85, 86, 88, 89, 96–99, 137–140, 144, 145, 147–150, 155, 172, 370, 373–375, 381, 382, 386, 497, 637, 647, 695
Brieger, F. G., 178, 193, 194, 232, 235, 237, 262, 266, 634
Brink, R. A., 416, 423, 484, 497, 504, 695
Bristles of hybrids between *Drosophila melanogaster* and *Drosophila simulans*, 153
Brittingham, W. H., 572
Brooklyn Botanic Garden, 239, 637
Brooks, B. W., 261
Brooks, S. L., 42
Buchanan, R. E., 228
Buchholz, J. T., 267
Bucknell University (See University)
Burke, J., 564
Burnham, C. R., 415, 482, 483, 485, 492, 497, 498, 500, 504, 695
Burton, R. H., 6
Bussey Institution, 204
Buxton, B. H., 542

Cabbage, 178
California Institute of Technology, 83, **137**, 153, **369**, **393**, **413**, **481**, 500, **503**, **689**
California, University of (See University)
Camera lucida, 484, 451, 650
Campanula, 133
Cannabis sativa, 439
Capsella, 239, 243, 245, 247–254, 256, 262–264, 267–273
  Bursa grandiflora, 242, 273
  Bursa-pastoris, 239
  Crosses among segregates, 258
  Cross-fertility, 239
  Cross-sterility, 239, **242**, 244, 247, 261
    Backcrosses, 247
    Crosses involving fathers of a common class but different mothers, **251**, 252
    Families from a common mother and different father, 250
    Intra-sterile, inter-fertile groups, **242**, 245–247, 250, 251, 258, 259, 269, 273, 274
    Offspring of reciprocal crosses, **248**, 249
  grandiflora, 176, 239–241, 249, 251, 252, 255–257, 259, 260, 262, 267, 271, 272, 274, 275, 293, 295
Capsella (Continued)
  Pseudo-fertility, 240, 259, **260**, 261, 263, 264, 273, 275
  rubella, 239–241, 255–258, 260, 272, 274
  Self-fertility, 240, 242, **255**, 257–261, 272, 274, 293, 294
  Self-sterility, 239, 240, **242**, 247, 248, 251, 256–261, 270–275, 294
    Physiology, 265
  Sterility, end-season, 264, 275
  Sterility, proximal, 260
  tuscaloosae, 239–241, 255, 256, 260, 271, 274
  Viguieri, 239, 255, 257, 260, 274
Carcinomata from same gland of mouse, genetic analysis of dissimilar, 468
Card, L. E., 203
Cardamine, 233, 234, 236–238, 243, 269–271, 275
  pratensis, 233, 236, 272, 273
    Self-sterility, 236, 238
  Pseudo-fertility, 234
Carnegie Institution of Washington, 83, 204
Cartledge, J. L., 134
Castle, W. E., 231, 315, 603, 604, 607, 608, 611–615, 617, 686
Cato, 433
Chalmers, R. E., 16, 18
Chamberlain, C. J., 448
Champy, C., 452
Chapman, R. N., 7
Charles, D. R., 31
Cherry, 179, 265
Chicago, University of (See University)
Chicken, 296
Chipman, R. H., 518, 661, 666
Chittenden, R. J., 182
Christoff, M., 511, 518, 622, 625, 631, 632, 636, 661, 666
Chrysanthemum, 133
Cichorium, 233, 261
  Intybus, 239, 242
    Self-fertility, 239
    Self-sterility, 239
Ciona, 265
Clausen, J., 126, 494
Clausen, R. E., 56, 135, 518, 661, 666, 671, 689, 694, 695
Cleland, R. E., 395, 400, 401, 407, **572**, **573**, 577, 579, 589, 591, 593, 596–599
Cloudman, A. M., 468
Cobb, F., 394
Coburn, C. A., 297, 315
Coefficients
  Correlation, 604, 606, 608, 609, 612, 614
  Inbreeding, 228
  Path, 604–611, 614, 615
  Relationships, 228
College of the City of New York, 153
Columbia University (See University)
Comes, O., 512
Compositae, 125
Compton, R. H., 175, 176, 253
Conklin, E. G., 242

Connecticut Agricultural Experiment Station, 414, **510**, 520, 533
COOPER, D. C., 416, 484, 497
Cornell University (See University)
Correlation coefficient, 108
CORRENS, C., 233–238, 243, 265, 269–273, 275, 432, 434, 435, 452–456
COULTER, J. M., 448
Covariance, 109, 110, 113–116, 118–122
Cow, 296
CRANE, M. B., 179, 265, 548
Crepis, 125, 126, 127, 129, 134
  Aneuploidy in hybrids, 133
  capillaris, 125, 126
  foetida, 125, 129, 133
  grandiflora and self-fertile species, crosses between, 255
  laciniata, 126–128, 130, 134
  leontodontoides, 126, 128
  montana, 126, 127
  mungieri, 126, 127, 134
  rubra, 125, 129, 133
  rubra-foetida, 133
  tectorum, 125
CREW, F. A. E., 452
Cross-fertility, 233, 239, 269
Cross-sterility, **232**, 233, 234, 239, **242**, 244, 247, 261–263, 274, 328, 332

DAHLBERG, G., 560–562, 564, 568, 570
Danysz bacillus, 203
DARLINGTON, C. D., 421, 481, 494–497, 499, 573, 597, 598
DARWIN, C., 233, 332, 454
Datura, 134, 267
Datura Stramonium, 694
DAVENPORT, C. B., 336, 337, 604
DAVIS, B. M., 402–404, 408, 574, 577, 578, 595, 596
DAWSON, W. M., 296
DEMEREC, M., 427
DERMEN, H., 179
Det Norske Videnskapsakademi I Oslo, 64
DE WINTON, D., 147, 148, 177, 178, 197, 199
Digitalis
  ambigua, 542
  Hybrid, 542
  purpurea, 542
Diphtheria, avian, 203
DIVER, C., 172
DOBZHANSKY (See SIVERTZEV-DOBZHANSKY, Mrs. N. P.)
DOBZHANSKY, T., 62, 86, 88, 89, 138, 139, 145, 148–151, 153, **369**, 378–380, 382, 383, 481, 498, 500, 643, 653
DOLAN, L. B., 562
Dominance, 109, **112**–115, 118, 120–123
Dominance bias, effect on progenies, 112
Drosera scheme, 518, 671, 689
Drosophila, 21, **38**, 58, **60**, 63, 74, 75, 77, 81, 82, 97, **137**, 147, 148, 150, 151, 234, 331, 337, 383, 481, 493, 495, 496, 498, 499, **637**, 649, 655, 656
Drosophila (Continued)
  Allelomorphism, 647
    Dilute eye colors, 647
    Tests, 373
  Baroid, description of, 372
  Breeding tests, 40
    With different types of females, 50
  Bristles, **153**, 156–**170**–173
  Character
    Diminished, 61, 62, 66, 69, 70, 72–**78**–80
    Sex-linked, bobbed, 62
  Chiasma formation, 499
  Chromosomal aberrations, 639
  Chromosomal arrangement, 657
  Chromosome, 498
    Association, 482, 498
    Conjugation, 382
  Chromosomes
    Post-diplotene association of, 499
  Coincidence, 89, **96**, **101**, **102**, 104
    Comparison of in normal and inversion-bearing chromosomes, **102**, 104
    Data, analysis of **101**, 102
    Sections located in different arms of the same chromosome, 101
  Crosses
    Preliminary, 158
    Success of, 156
    To test cytoplasmic differences in *melanogaster* stocks, 160
  Crossing over, 481, 482, 498, 499, 644, 645, 652–658
    In one arm, effect of, upon its occurrence in the other, 90
    Values, influence of temperature on, 89, 92, **96**, **98**, 99, 103
  Crossover tests, methods of, 640
  Cytological tests, 55
  Cytology, **637**, 638, 648, 658
    Baroid, 379
    X-radiation induced dominant eye colors, 637
  Deficiency for fourth chromosome recessives, 70
  Disjunction, 498
  Dominance, 371
    Of mutant change present in mosaic, 66
    To recessiveness, change from, 371
  Elimination, somatic, **60**–63, 67, 74, 77
  Eversporting, 38–40, 58, 59
  Gene
    Arc, 154
    Aristaless, 83, 90, 91, 96, 97, 141, 142, 144, 147, 151, 641, 644
    Aristaless-2, 139
    Bar, 160, 171, 369–371, 373, 374, 376, 377, 381–383, 385–388
      Episome, 385, 387
      Protosome, 385–387
    Bar-3, 370
    Bar-4, 370, 373
    Baroid, **369**, **372**–374, **375**, **376**, **377**–379–**382**–388

Drosophila (Continued)
Gene (Continued)
Baroid (Continued)
Crossing over in the presence of, unequal, 376
Cytology of, 379
Influence of on chromosome conjugation, 382
Translocation associated with, 377
Bent, 55, 70, 72, 73
Black, 69, 70, 77, **78**, 79, 154, 155, 157, 167, 169, 171–173, 379, 381, 641, 644
Black body color, 83–85, 90, 91, 96–98, 101, 139, 147
Bobbed, 154, 384
Bristle, 154, 155
Broad, 39
Brown, 154
Cinnabar, 82, 83, 86, 91, 96–98, 101, 103
Cinnabar-2, 82–85, 88, 90, 92, 96
Claret, 61, 64, 142, 154, 641
Comb, 154
Crossveinless, 39, 155, 371
Curled, 64, 154, 155, 641, 643, 645, 647
Curly, 54, 55, 377, 640, 641, 643, 645–648
Curly wings, 82, 84, 86, 87, 90, 160, 165, 170
Curved, 69, 77, **78**, 79, 154, 169, 641, 642, 645, 654
Curved wings, 139, 141, 145–147
Cut, 39, 371
Cut-6, 155
Deformed, 374
Delta, 171, 172, 647
Dichaete, 640, 641, 645, 647
Discolored, 656
Double-bar, 369, 370, 373, 374, 377, 385
Double-infrabar, 370, 373, 374
Dumpy, 90, 91, 96, 97, 641, 643
Dumpy-2, 643, 644
Dumpy wings, 139, 141, 144
Ebony-4, 154
Echinus, 39, 52–54, 59, 155
Eosin, 58, 637
Eyeless, 57, 70–73, 77, **78**, 80, 371, 372, 640, 645
Eyeless-2, 370, 371
Facet, 39, 48, 52, 53, 56, 59, 171, 377
Forked, 71, 154, 155, 169, 371–376, 386
Fringed, 154
Fused, 154, 372, 376
Gap, 154
Garnet, 155
Garnet-2, 155
Giant, 154, 155
Gray, 38, 39, 48, 58
Hairless, 377, 647
Hairy, 64, 154, 169–171, 641, 643
Infra-bar, 370–374, 386
Lobe, 83–90, 97–99, 101–103, 171, 374
Lozenge, 38, 39, 154, 374
Miniature, 38, 39, 58
Minute, 641, 645–647, 656
Morula, 154
Notched, 39, 41, 42, 46, 48–56, 58, 59
Drosophila (Continued)
Gene (Continued)
Peach, 154, 155
Pink, 70
Plexus, 139, 141, 154, 641, 642, 644, 646–648, 654, 656, 658
Plum, 656
Prickly bristles, 641
Prune, 39, 53, 54, 59, 155
Prune-2, 154
Punch, 655
Purple, 69, 77, **78**, 79, 81, 83–86, 88–91, 96–98, 101–103, 139, 141, 147, 151, 154, 169, 641, 642, 645–647
Recessive kidney, 374
Red, 39, 40, 56
Rough, 154, 171
Roughoid, 64, 69, 142, 154, 641
Ruby, 39, 52–54, 59
Rudimentary, 375, 386
Sable-2, 154
Scarlet, 64, 154, 155, 160, 641, 643, 645, 647
Scute, 39–41, 44, 49, 54, 58, 59, 155
Sepia, 154, 155, 169–171
Singed, 40, 42, 44, 46, 48–51, 54, 55, 58
Small-eye, 386
Small-wing, 155
Sooty, 64, 81, 154, 155, 641
Speck, 83–85, 88, 90, 91, 96, 97, 102, 139, 141, 142, 147, 151, 154, 641, 642, 644, 646–648, 656, 658
Star, 54, 55, 374, 640, 645, 647
Stripe, 64, 154, 155, 641
Tarnished, 656
Thoraxate, 96, 97
Thread, 64, 154, 155, 641, 643
Twisted abdomen, 154
Ultra-bar, 369
Vein, 64, 68
Vermilion, 39, 71, 155, 371, 639
Vestigial, 379, 380, 386, 388
Vestigial wings, 83, 84, 86–88, 90, 91, 96, 97, 99, 101–103
White, 38–40, 48–59, 155
Yellow, 38–41, 44, 46, 48–55, 57–59, 154–156, 371
Genetic and cytological studies on X-radiation induced dominant eye colors of, 637
Genetical analysis of the mosaic female, 66
Genetics, **637**, 638, 642
Gynandromorphs, 61–63
Haploidy for the fourth chromosome in the minute flies derived from the mosaic, cytological demonstration of, 73
Heredity, chromosome theory of, 60
Hybrids, 153
Hyperploid, 40, 42, 44, 46, 48–54, 56, 57, 59
Inheritance, 60, **68**
As a member of the fourth chromosome linkage group, 68
Inversion, 645, 652, 654, 656, 657
Effect of upon temperature effect and coincidence values, 96

Drosophila (Continued)
Lethals, 21
Linkage, **54**, 55
Groups, 68, 640
Translocation, tests for the, 54
melanogaster, 38, **60**, 61, 67, 69, 74, **81**, **137**, 151, **153–160**, 162–173, 335, **369**, 370, 648
Chromosome II, 138
Crossing over, 81–85, 90, 103, **138**
Comparison of triploid and diploid for chromosome II, 137
Diploid, **137**, 138, 140–144, 147–151
Triploid, **137**, **138**–144, 148, 150, 151
Cytoplasm, effect of, 165
Equational exceptions, **144**–147, 151
Factors suppressing crossing over, 81–85, 90, 103
Inversion, **81**, 82, 86–89, 92, **96**, 98, 99, 101, **102**–104
Somatic elimination of the fourth chromosome in, 60
Triploids, measurement of crossing over, 138
Use of attached-x stocks, 162
Minute, 64–**73**, 74, 77
Mosaic female, occurrence and description of, 64
Mosaic, 62, 63, 65, **66**, 68, **73**, 74, 77
Diminished, 61, 64, 75, 76
Sex, 61
Somatic, 60, 61
Mosaicism, 39, 40, 56, 58, 59
Mottled-eye, **38**, 40–42, 44, 46, 48–59
Due to unstable translocation, 38
Mottled stock, origin of, 38, 39
Mottling, explanation of, 39
Mutant, sex-linked, Minute-n, 62
Mutation, 637, **638**, 640, 641, 647
Eye color
Cream, 637, 639
Dilute, **647**, 648, 656, 658
Dilute-1, 639–642, 644, 648, 650, 653, 657, 658
Dilute-2, 639–642, 644, 648, 650, 653, 654, 657, 658
Dilute-3, 639–642, 644, 650, 657, 658
Dilute-4, 640–642, 645, 650, 654, 657, 658
Dilute-5, 640–642, 645, 650, 654, 657, 658
Dilute-6, 640–642, 645–647, 650, 652, 653, 656–658
Dominant, **637**–**639**–647, 649, 655, 657
Henna, 639–641, 648–650, 655, 657
Salmon, 639–642, 648, 650, 652, 655–657
Gene, 655
Point, 655, 658
Non-disjunction, 56, 57, 481
Notched wings, 40, 44
Polyploid crossing over, 147
Recessiveness, change from dominance to, 371
Sex ratio, 21

Drosophila (Continued)
simulans, 61, **153**, 155–169, 171–173
Influence of stocks, 167
Synapsis of the chromosomes, 103
Temperature effect, conclusions and discussion of, 98
Theta, 38, 39, 48, 52–54
Translocated fragment, tests for the length of, 52
Translocation, **38**–41, 44, 48, **49**, **52**, **54**, 55, 58, 59, 145, 149–151, 481, 640, 641, 643–646, 649, 652–658
Associated with baroid, 377
Linkage tests for, 54
Pale, 383, 637, 647, 656, 658
Second chromosome, 378
X-radiation, **637**, 657
Induced dominant eye colors, genetic and cytological studies, 637
Drosophilists, 107
Dubois equation, 31
DUNCAN, 382, 383
DUNN, L. C., 83, 204, 615–617, 681
DURST, C. E., 115

EAST, E. M., 117, 118, **175**–179, 182, 185, 232, 234–236, 238, 244, 245, 251, 253, 255, 256, 261–263, 265, 266, 271, **327**, 330, 332, 333, 413, 511–513, 515, 528, 541–544, 622, 625, 629, 631, 633, 635, 636, 660, 661, 667, 671–673
Ehrlich's haematoxylin, 416, 484
EMERSON, R. A., 31, 117, 118, 360, 414, 415, 425, 427, 429, 482, 485, 500, **503**–505
EMERSON, S. H., **393**–401, 405, 406, 408, 573, 578, 589, 593, 594, 597, 600, 601
ENGLER, A., 433
Eosin, 267
Epilobium, 182
Erythrosin, 267
Euchlaena mexicana, 482
Evolution, 603
EYSTER, L. A., 413
EYSTER, W. H., 413–415, 423

Factor
Environmental, 605
Genetic, 605
FELDMAN, W. M., 31, 33
FERGUSON, M. C., 261
Fertility, **125**, 129, 131–135
In hybrids, pollen grain studies as an indication, 125
FILZER, P., 176, 234–236, 238, 251
FISCH, C., 436
FISHER, R. A., **107**, 108, 112, 207, 210, 220, 606
Fixative
Allen's modification of Bouin's solution, 444, 514, 536, 661
Bouin's solution, 267, 444, 536
Carnoy's solution, 444, 536
Chrom-acetic, 536
Flemming's solution, 73, 74, 536
Flemming's strong solution, 661

Fixative (Continued)
Navaschin's killing agent, 379, 536, 661
Shaffner's chromo-acetic, 444
Flax, 181
FLORIN, R., 233
FLORY, JR., W. S., **432**, 442, 451, 453
Fly (see Drosophila)
FORTUYN, A. B. D., 111
Fowl, 107, **615**, 616, 618
Analysis of measurements, 615
Character, 615, 618
Size factor, general, 616
Typhoid, 203
White Leghorn, 615, 616, 619
Fragaria, 672
FRATEUR, J., 203
Fritillaria imperialis, 496

GABRITSCHEVSKY, E., 172
GAERTNER, 622
GAIRDNER, A. E., 181
GAISER, L. O., 179
Galton and Mendel Memorial Fund, 38, 153, 231, 296, 510
GARSTANG, S., 172
GATES, R. R., 400, 404
GATES, W. H., 298
Geology, 109
GERHARD, K., 395, 407
GERSHENSON, S. M., 384–386
GILMORE, K. A., 26, 29
GOODSPEED, T. H., 511, 518, 661, 666, 671, **689**
Goucher College, 572
GOWEN, 194
GOWEN, J. W., 82, 499
GOWEN, M. S., 82
Graph for standard errors of ratios, 31
Grasshopper, 63
GRAUBARD, M. A., 81
GREEN, C. V., 604
GREGORY, P. W., 604
Growth, heterogonic, **610**, 611, 614, 615
Guinea pigs, 203

Habrobracon, **1**, 2, 21, 22, 24, 28
Antenna of mutant types, 8, **17**, **18**, 28
Binuclearity, egg, 26
Gene
Beaded, **12**, 23, 25, 27, 28
Black eye, 6, 26,
Broad, 14, **20**, 22, 25, 27
Cantaloup, **7**, 23, 24
Confluent, **18**, 19, 22–24, 27
Constricted, **16**, 22, 25, 28
Dahlia, 7, 22, 23, 25, 28
Defective, **2**, 3, 17
Fused, **17**, 22, 23, 25–28
Ivory eye, 6, 7, 17, 22–26, 28, 29
Kidney, **20**, 21, 23, 24
Light, 25, 28
Light ocelli, 22
Long, **17**, 22, 25, 27
Maroon, **7**, 22
Miniature, **13**, 17, 23, 25, 27
Minnesota yellow, **7**, 12

Habrobracon (Continued)
Gene (Continued)
Mosaic black and ivory, 26
Narrow, **16**, 23, 25, 27
Notch, **20**, 22, 25, 26
Orange, 3, **6**, 7, 17, 20, 22, 23, 26, 28, 29
Reduced, **3**, 4, 22, 23, 27
Semilong, **18**, 23, 25, 27
Short, **13**, 16, 27
Shot, **20**, 22, 27
Sooty, 3
Spread, 14, **20**, 22, 25
Stumpy, **12**, 13, 23, 24, 28
Tapering, **19**, 20, 22, 25–28
Truncate, **19**, 23, 24, 27
Twisted, **16**, 23, 25, 28
Vestigial, 14, **19**, 22, 24
Wavy, **16**, 17, 23, 25, 27, 29
Wrinkled, **3**, 22, 25
Yellow, **12**, 23, 24
Genes, contrasted effects of different in corresponding structures, 26
Inheritance, 2
Legs of mutant types, 10
Lethals, 21
Linkage
Genetic tests on, 23
Relations, 2, 22
Male biparentalism, genetic tests on, 23
Mosaicism, 7, 26
Genetic tests on, 23
Mutant, 1–4, 6–8, 10, 12, 13, 16–29
Mosaic, 26
Types, 2–4, 6–8, 10, 12, 13, 16–29
Beaded (legs), **12**, 23, 25, 27, 28
Broad (thorax), 14, **20**, 22, 25, 27
Cantaloup (eyes), **7**, 17, 23, 24
Confluent (wing veins and antennal segments), **18**, 19, 22–24, 27
Constricted (femora), **16**, 22, 25, 28
Dahlia, 7, 22, 23, 25, 28
Defective wing venation, **2**, 3, 17
Deficiency (antennae and posterior extremity), 6
Fused (antennae and tarsi), **17**, 23, 25–28
Kidney (eyes), **20**, 21, 23, 24
Lethal naked pupae, **3**, 22, 25
Long (antennae and wings), **17**, 22, 25, 27
Maroon (eyes), **7**, 22
Miniature (body), **13**, 17, 23, 25, 27
Minnesota yellow (base of antennae), **7**, 12
Narrow (wings), **16**, 23, 25, 27
Notch (wings), **20**, 22, 25, 26
Orange eye and its four allelomorphs, **6**, 23
Reduced (wings and venation), **3**, 22, 23, 27
Semilong (antennae and wings), **18**, 23, 25, 27
Short (wings), **13**, 16, 27
Shot (wing veins), **20**, 22, 27
Small head, **21**, 23, 25

Habrobracon (Continued)
Mutant (Continued)
Types (Continued)
Sooty (mesosternum), 3
Spread (wings), 14, **20**, 22, 25
Stumpy (legs), **12**, 13, 23, 24, 28
Tapering (antennae), **19**, 20, 22, 25–28
Truncate (wing veins and antennal segments), **19**, 23, 24, 27
Twisted (legs), **16**, 23, 25, 28
Unexpanded wings, **19**, 22, 24
Vestigial (wings), 14, **19**, 22, 24
Wavy (wings), **16**, 17, 23, 25, 27, 29
Wrinkled (wings), **3**, 22, 25
Yellow (base of antennae), **12**, 23, 24
Mutation rate, 21, 28
In mixed stock, 22
In pure stock, 22
In X-rayed material, **22**, 23
Mutation, stage at which occurs, 23
Mutations, 23, 24, 26
Recurrences, 26
Reversions, 26
Sex ratio, 21
Wings of mutant types, 4, **17**, **18**, 22
HAECKER, V., 337
HAGEDOORN, A. L., 203
HAGEDOORN-LABRAND, A. C., 203
HAKANSSON, A., 573, 597
HALDANE, J. B. S., 147, 148
HALL, E. K., 242, 256
HANSON, F. B., 370, 386, 637
Harvard University (See University)
Hemp, 437
HENDERSON, L. J., 31
HERIBERT-NILSSON, N., 253, 574
HERSH, A. H., 372
HERSH, R. K., 372
Hetero-fertilization in maize, 358
Heterosis, 118
HEYER, F., 436
HILL, H. E., 545
HILL, S. E., 239, 274
HIRSCH, N. D. M., 562, 563, 570
HOEPPENER, E., 401, 581, 595, 596
HOLLINGSHEAD, E. L., 125, 126
Hordeum distichum nutans, 121
Hordeum tetrastichum, 121
Horses, 296
HUETTNER, A. F., 75
Humulus, 454
Humulus japonicus, 439
HUSKINS, C. L., 514
HUTCHISON, C. B., 415
HUXLEY, J. S., 603
Hybrid, **125–128**, 129, 132–135
Brassica-Raphanus, 542
Pollen grain studies as an indication of fertility in, 125
Hybrid vigor, **118**
Hymenoptera, 22

Illinois, University of (See University)
ILOTT, C., 433
IMMER, F. R., **107**, 409
Inbreeding, 226, 228
Inheritance, sex-linked, 452
Inheritance of wildness and tameness in mice, **296**, 315
International Congress of Plant Sciences, 256
Iowa State College, 203, 209, **351**, 415
Iron haematoxylin, 73, 74
IRWIN, M. R., 203–205

JANSSENS, F. A., 481, 495, 497
Japanese waltzing mouse, 203
JENKINS, M. T., 415, 422, 427, 504
Jewish Hospital of Brooklyn, 335
JOHANNSEN, 233
John McCormick Institute, 205
JONES, D. F., 413, 414, 429
JONES, H. A., 432–435, 437, 439, 440, 443
JONES, H. E., **560**, 562–564
JORDAN, E. O., 205
JORDAN, H. E., 568
JORGENSEN, C. A., 125
JORGENSON, L. R., 504
JOST, L., 265

KAKIZAKI, Y., 178, 179, 199, 237, 238, 261, 263, 266
KAMO, J., 443
KARPECHENKO, G. D., 542
KAUFMANN, B. P., 494
KELLEY, T. L., 301
KEPPERT, 332
KIHARA, H., 689, 695
KING, R. L., 155
KNIGHT, L. I., 265
KNOX, C. W., 203
KOELREUTER, J. G., 231, 510, 622
KOOS, K., 550
KOSTOFF, D., 625, 660, 661, 666, 670, 671, 673
KRAFKA, J., 372
KRAUS, E. J., 265
KUBANYIA, 336
KUHN, 443
KULKARNI, C. G., 394, 577
KUWADA, Y., 494

LAMBERT, W. V., 203, 228
LAMMERTS, W. E., 129, 133, 518, 537, 540, 543, **689**
LANCEFIELD, D. E., 83
LANDSTEINER, K., 336–338, 341, 342, 349
LANGENDORF, J., 400, 402, 407
LAUTERBACH, C. E., 561, 566, 568, 570
LAWRENCE, W. J. C., 179, 236, 237, 255, 272
Leber's disease, 336
LEHMANN, E., 176, 182, 235, 236, 238
LESLEY, J. W., **545**, 547, 550, 551, 554, 556
LESLEY, M. M., 546, 551
Lettuce, 115, 123
LEVINE, P., 336–338, 341, 342, 349
LEVITSKY, 432
LEWIS, P. A., 203
Lexian ratio, 211, 228

Lilium, 261
  Self-sterility, 261
Limnaea, 172
Linaria vulgaris, 236
LINDSAY, R. H., 443, 450, 452
LINDSTROM, E. W., 120, 228, **351**, 353–355, 550, 554, 556, 558
Linkage, **335**–338, 346, 349, 350, 353
  In human genetics
    Agglutinogens, **337**, 349
    Derivation of Q, 346
    Derivation of standard error, 347
    Measuring with reference to blood groups, 335
  Relations of genes in Oenothera, 393
Linum usitatissimum, 181
LITTLE, C. C., 204, 468, 469, 478, **674**, 682, 687
LOCKHART, L. P., 205, 213
Louisiana State University (See University)
LUCE, W. M., 373
LUSH, J. L., 228
LYNCH, C. J., 172, 204
Lythrum, 327, 328
Lythrum salicaria, **327**, 330, 333
  Cross-sterility, 328, 332
  Heterostyly, 327, 328
  Lethals, balanced, 331–333
  Mutation, 331–333
  Non-disjunction, 331
  Self-sterility, 328, 332

MACARTHUR, J. W., 352, 353, 545
MCCLINTOCK, B., 363, 416, 421, 482–484, 486–488, 493, 497, 498, 500, 545
MCCRAY, F. A., **621**, 625, **660**
MACDOWELL, E. C., **204**, 603, 607, 608, 614, 615
MCPHEE, H. C., 437, 439
MCPHETERS, B. W., 674
MADLENER, M., 336
MAEKAWA, 453
Magenta, 267
Maine, University of (See University)
Maize, 58, 82, 117, 118, 120, 122, 123, 126, **358**, 359, 366, 367, **413**, 414, 419, 421, 422, 482, 483–490, 492–494, 497–500, **503**–505
  Allelomorphs, **503**, **504**, **505**, 508
  Character, silkless, 429
  Chromosome, map of, 483
  Crossing over between teosinte and, 484
  Cross-sterility, 413
  Embryo sac
    Lilium type, 358, 362
    Smilacina type, 362
  Endosperm chimeras, 58
  Fertilization, 358
  Gametogenesis, 358
  Gene
    Brown midrib, 415
    Chocolate pericarp, 425
    Color
      Aleurone, 423, 482, 503–506, 508, 509
      Pericarp, 503–509
      Plant, 503–509
      Silk, 503, 505, 507–509
Maize (Continued)
  Gene (Continued)
    Crinkly leaves, 423
    Dwarf, 423
    Iojap stripe, 415
    Male sterile, 413–415, **422**–427–430
    Purple plant color, 422
    Shrunken endosperm, 423, 482
    Slit leaf blade, 426
    Tassel seed, 423
    Variable sterile, **414**, 416, **417**, 419, 421, 428, 430
      Cytological observations, 417
      Description, 416
      Inheritance, 416
    Virescent seedling, 482
    Warty anthers, 414, 421, **422**, 429, 430
    Waxy endosperm, 423, 482
    Yellow endosperm, 422
    Yellow green, 482
  Genes
    Pollen sterility, 413
    Relation to pigmentation, 503
  Hetero-fertilization, **358**, **359**–**361**–**367**, 368
    Extent of, 367
    Genetic tests of the nature of, 361
    Megaspores, persistence of the four, 362
    Mutation, 362
    Non-disjunction, 363
    Sperms from two pollen grains, 366
  Hybrids between teosinte and, 489
  Inheritance
    Of a quantitative character, 117
    Of scutellum color, 359
  Linkage, 425, 426
  Mutation, 358, **362**, 363
  Non-disjunction, 358, **363**, 365, 368
  Phenomenon of hetero-fertilization, 359
  Pigmentation, **503**–505
  Pollen development, normal, 416
  Pollen sterile characters, intercrosses of, 427
  Pollen sterility, **413**, 414, 422, 425–**427**, 430
  Self-sterility, 413
  Translocation, 483, 487, 489, 495, 497, 498, 500, 695
  Variety
    Alberta flint, 415
    Argentine flint, 415
    Cornell-11, 415
    Missouri dent, 117
    Onondaga White Dent, 505, 507
    Tom Thumb pop, 117
MALHOTRA, R. C., 437, 438
Man, 335, 336, 561, 569, 604
  Character
    Atopic hypersensitiveness, 336
    Brachydactyly, 337
    Lobster claw, 337
    Polydactylism, 335–337
    Sex-linked
      Haemophilia, 336
      Night-blindness, 336
      Optic atrophy, 336
      Red-green color-blindness, 336
    Telangiectasis, 336

Man (Continued)
Character (Continued)
White forelock, 335
Zygodactyly, 337
Left-handedness in twins, 560
Linkage, 335–338, 346, 349, 350
Twin, classification of type, 564
Twins, **560,** 563
Asymmetry, **564,** 567, 570
Character
Ambidexterity, 562
Crown, double, 565, 567
Crown whorl, 565
Dextro-sinistrality, 565
Left-eyedness, 565, 566
Left-handedness, 560–562, 565, 568–570
Right-eyedness, 565
Right-handedness, 562
Sinistrality, 568
Dizygotic, 561, 566, 568, 569
Fraternal, 561–566, 568–570
Identical, 560, 562–566, 568–570
Mirror reversal, 560, 569
Monozygotic, 560, 561, 566, 568, 569
Reversed asymmetry, 561, 568
Sampling, method of, 563
MANGELSDORF, A. J., 176, 193, 194, 234–236, 244, 245, 251, 253, 262
Marine Biological Laboratory, 29, 137
MAY, H. G., 369
Melandrium album, 437
Memorial Hospital, New York, 204
Mendelian factors, 108
Mendelian ratio, 258, 311
Mendelian scheme, 107
Mendelizing system, 110
Mercurialis, 453
Mercurialis annua, 436, 439
METZ, C. W., 155
MEYERS, M. T., 503, 504
Microscope
Spencer binocular, 648
Zeiss, 460
MILLER, E. C., 358
MJOEN, J. H., 604
MOHR, O. L., 52, **60,** 64, 72, 75, 80, 171
MORGAN, L. V., 60, 62, 145, 155, 370, 497
MORGAN, T. H., 61, 62, 81, 86, 88, 89, 97, 98, 145, 149, 153, 155, 156, 171, 172, 265, 335, 369, 375, 382, 386
Morus alba, 439
Mouse, 111, 123, **203**–205, 218, 219, 227, **296**–302, 306, 310, 312–316, 325, **468,** 469, 474, **476, 477,** 479, 604, **674,** 677, 687
Abnormality
Genetics of in descendants of X-rayed, 674
Inherited, 674
Age factor in resistance to *Salmonella aertrycke*, 219
Backcrosses, 306
Cancer, 478
Character, 675

Mouse (Continued)
Character (Continued)
Abnormality
Eye, 674, 675, 679–682, 686, 687
Foot, 685
Genetics, 677
Limb, 674–681, **685, 686,** 687
Brachydactyly, 674
Polydactyly, 674, 675
Short ear, 603
Syndactyly, 674
Tameness, **296,** 297, 306, 309, 315, 316, 324
White forehead, 681
Wildness, **296,** 297, 306, 309, 315, 316, 318, 324–326
Factors, estimation of the number of genetic, 310
Gene
Agouti, 316, 325, 326, 684, 685
Albinism, 310, 316, 325, 326, 468, 684, 685, 687
Black, 684, 685
Brown, 310, 316, 325, 326, 468, 604, 684–687
Color, 468
Dilute, 468, 687
Hemorrhagic lesion, 675, 676
Intensity, 468, 684
Myencephalic blebs, 676, 686
Non-agouti, 310, 468
Piebald, 468
Pink eye, 310, 316, 325, 326
Self color, 468
Short ear, 310, 316, 325
Inbreeding, **220,** 226, 228
Inheritance
Degrees of learning, 315
Reaction time, 315
Resistance to *Salmonella aertrycke* in various strains, 203
Wildness and tameness, **296,** 315
Linkage, **310,** 325, 326, 604, **684,** 685, 687
Mammary gland
Carcinomata, 469
Tumors, 468, 478, 479
Out-cross experiment, 682
Parental strains, 302
Runway test, **298, 301,** 302
Salmonella aertrycke, results of selection for resistance, 213
Selection
And mating of breeding stock, 300
In the wild and tame stocks, 307
Influence of individuals in, 223
Sex factor in resistance to *Salmonella aertrycke*, 219
Size factor, group, 604
Strain
Albino, 297, 301, 303–305, 318, 320, 321
Bagg albino, 204, 208, 227, 468
Dilute-brown, 204, 227
English silver, 204, 227
Little dilute-brown, 204, 227
Piebald, 204

Mouse (Continued)
Strain (Continued)
Pink-eyed, 204
Pink-eyed brown, 298, 318
Pink-eyed short eared brown, 298, **303**, 318
Schwing albino, 204, 206–210, 227
Short-eared, 204, 227
Strong dark-brown, 204, 208, 227
White-faced, 204, 227
Tailrings in, 111, 123
Tame, **297**, 300–**307**, 308–324, 326
Tumor, 472–474, 476–479
Differences, physiological and genetic, 479
Transplantation, 478, 479
Weight factor in resistance to *Salmonella aertrycke*, 219
Wild, **297**, 298, 300, 301, 303–**307**, 308–322, 324
X-rayed, genetics of abnormalities appearing in the descendants of, 674
MULLER, H. J., 54, 57, 80–82, 145, 149, 370, 375, 378, 383, 384, 637, 641, 653, 655, 656
MURRAY, W. S., 676, 679, 682, 687
Mus bactrianus, 604
Mus musculus, 111, 204, 468, 604
Mus wagneri, 111
Mutants in Habrobracon, **1**–4, 6–8, 10, 12, 13, 16–29

NAKAMURA, T., 432, 435, 439, 443
NAMIKAWA, I., 265
National Academy of Sciences, 572
National Research Council, 29, 107, 572
NEALL, H. E., 565
NEWMAN, H. H., 560–562, 564, 566, 568, 570
NEWTON, W. C. F., 542
Nicotiana, 128, 129, 135, 234, 235, 237, 244, 249, 253, 255, 256, 261, 262, 265, 266, 268–271, 516, 542, 543, **621**, 631–633, **660**, **689**, 694
acuminata, 623, 625, 632, 662
alata, 175–177, 197, 199, 201, 261, 622, 623, 632, 633, 636, 660, 662
attenuata, 632
Bigelovii, 622–625, 628, 629, 631, 632, 634–636
caudigera, 623, 625, 632, 662
Cavanillesii, 622, 623, 632
Character, 672
Flower, 664, 690
Leaf, 664, 690
Stem, 664
Compatibility of species, **621**, 633–635
Cross-sterility, 234
Forgetiana, 175, 201, 261
Gametes, functional, 537
Gametogenesis, 670
Gene, ivory, 193
glauca, 622–632, 634–636, 660, 662, 672
glutinosa, 622–625, 629–632, 634–636, 660, 662, 672
glutinosa tomentosa, 624
Hybrid, 515–518, 525, 527, 540, 621, 622, 625, 629, 631–635, **660**, 691, 692, 694, 696
Tetraploid, **510**, 511, 526, 528, 533–543
Nicotiana (Continued)
Hybrid (Continued)
Triple species, **660**–673
Inheritance
Anther color and pollen color, **196**, 197, 200
Color factors, 193
Corolla color, **193**, 194, 200
Green *versus* non-green corolla, 198
Langsdorffii, 175–**179**, **180**–182–184–186, 189–**192**–194, 196–201, 253, 621, 623–626, 632, 634, 636, 660–672
Self-fertility, 253, 255
Self-sterility, 253, 255, 256
longiflora, 622, 632, 634, 662
Megasporogenesis, 667, 693
Monosomics, **689**, **691**–696
nudicaulis, 622–625, 628, 630, 632, 634–636, 662
Nullosomics, 694–696
Palmeri, 622–624, 626–629, 631, 632, 634–636, 662
paniculata, 129, 133, **510**, 511, 513–517, 519, 520, 522, 524–531, 535–538, 541–543, 621–623, 630, 632, 633, 636, 660, 661, 663–672, 689–694, 696
Histology of ovaries of tetraploid plants following pollination, 536
Petunioides, 633
plumbaginifolia, 622–626, 629, 631, 632, 634, 635, 662
Pseudo-fertility, 235, 261
Rusbyi, 622–628, 632, 634–636, 660, 662, 671, 672
rustica, 129, 133, **510**, 511, 515, 517, 522, 525–529, 542, 543, 622, 632, 633, 660–673, **689**–696
Inheritance of monosomics, 689
rustica brasilia, 528
rustica humilis, 511–513, 528, 529, 621–623, 625, 661, 663
rustica-paniculata, 133, 540
rustica pumila, 511–514, 516–520, 524, 529, 531, 535, 537, 538, 541–543, 623
Sanderae, 175, 176, **179**, **180**–182–184–**192**–194, 196–201, 262, 622, 623, 632, 660, 662, 671, 672
Self-fertility, 235, 262
Self-sterility, 234, 235, 253, 255, 256, 261, 262
solanifolia, 692
suaveolens, 622–625, 627–629, 632, 634, 636, 662
sylvestris, 623–625, 631, 632, 634, 660, 671, 672, 694
Tabacum, 625, 632–634, 636, 660, 662, 671, 672, 689, 694, 695
Tabacum angustifolia, 623, 625, 631, 662
Tabacum macrophylla, 622–624, 629, 630, 634, 635, 662
Tabacum purpurea, 623, 625, 662
Tabacum sanguinea, 660
Tetraploid hybrids, cytogenetic behavior, 510

Nicotiana (Continued)
tomentosa, 622–625, 627, 630, 632, 634–636, 660, 662, 671, 672
trigonophylla, 622–624, 629, 631, 632, 634–636, 662
NISHIYAMA, I., 689, 695
Nomography, 31, 33, 34
NORTON, J. B., 432, 433, 435, 436, 439

OCCAM, 331
ODELL, C. W., 301
OEHLKERS, F., 395, 401, 407, 573, 589, 593, 596
Oenothera, 135, **393**, 401, 410, **572**, 589, 593, 596–598, 600, 601
accelerans, 398, 399
acuens, 401, 596, 597, 599
albata, 576
albicans, 394, 400, 401, 403–407, 586, 595, 599
biennis, 400–404, 407, 592
biennis-Chicago, 393
Character, 575–579, 581–588, 590–593
Buds, 594
Flower color, 594
Flower size, 393, 595–597, 600
Foliage, 594
Habit, 594
Stem, 594
chicagoensis, 393
Chromosome cohesion, 573, **589**, 590, 594, **597, 600**
Circle formation, **572**, 573, 575–580, 582, 584, 586–592, 595, 596, 599, 601
Cockerelli, 404
curtans, 404, 407
curvans, 394, 395, 404, 575, 576, 582–584, 590–592, 599
densa, 393
elongans, 404
excellens, 393, 394, 599
flava, 590–592
flavens, 394–396, 398, 405–407, 411, 576, 585, 586, 588, 591, 592, 599
flectens, 394
Flower size, 400, 404
franciscana, 395–397, 399, 400, 402–406, 410, 574, 577–588, 593, 595–599
franciscana sulfurea, 405, 406
gaudens, 393–396, 401, 404, 407–409, 587, 591, 595, 599
Gene
brevistylis, 393, **407**, 409, 410
Broad leaves, 394
bullata, 396
Curved stems, 394
Double flowers, 396
Dwarf stature, 395, 398, 400, 405, 410
Flower size, large, 401, 407
Flower size, small, 400, 401, 405, 406, 408, 410
Green buds with no punctation on the stems, 397
Green buds with punctate stems, 397
Long styles, 408–410

Oenothera (Continued)
Gene (Continued)
Marginate leaves, 394
nanella stature, 393, 395, 410
Old-gold flower color, 395, 410
Pointed buds and leaves, 394
Punctate stems, 394, 397, 410
Red mid-ribs, 394, 395, 407, 408, 410
Revolute leaves, 398, 408
rubricalyx bud color with punctate stems, 397
Striped bud color, 395, 406
Striped bud cones with punctate stems, 397, 405
Sulfur flower color, 395, 397, 405, 410
White mid-ribs, 408
Yellow flower color, 397
grandiflora, 403, 574, 579, 593, 596, 600
Hookeri, 395, 396, 400–402, 404, 407, 574–576, 578, 580–585, 587, 589–592, 595–600, 695
Hookeri-curva, 590–592
Hybrid, 573, 578, 589–600
Inheritance
brevistylis, 407
Flower size, 401, 411
jugens, 395, 398, 399, 408, 409
laeta, 586, 587, 591
Lamarckiana, 393–396, 401, 404, 407–410, 574, 586–588, 590–592, 600, 695
Lamarckiana brevistylis, 407, 408
Lamarckiana nanella, 393
latifrons, 395, 397–399
laxa, 394
Linkage, 393–**395, 396, 398, 399, 408**–411, 573, 589, 597, 600
Between chromosomes, 398
Between flower size and *brevistylis*, **408**–410
Relations of dwarf stature, 399
Relations of genes, 393
Relationships, variable, 393
Within chromosome, 395, 396
lutescens, 398
muricata, 401, 404, 574–576, 581, 582, 589–592, 600
pratincola, 394, 408
punctulans, 599
purpurata, 401
rigens, 401, 404, 407, 574–576, 582, 583, 589–592, 599
rubens, 394, 395, 401, 402, 404, 592, 596, 599
rubricalyx, 395, 404
Segmental interchange, 573, 574, 578, 598, 600, 601
Shulliana, 408, 409
suaveolens, 405, 406, 574, 576, 584, 585, 590–592, 600
sulfurens, 395, 399, 405, 406
truncans, 401, 596, 597, 599
truncata, 596
velans, 394–399, 401, 404, 406–408, 587, 588, 592, 595, 599
velutina, 401, 407, 586–588

Ogura, S., 384
Ojemann, R. H., 562
Oliver, 436
Oliver, C. P., 638, 655, 656

Painter, T. S., 55, 57, 145, 149, 151, 378, 653, 656
Paratyphoid-enteritidis, 204, 213
Park, J. B., 177, 235, 238, 244, 261, 265, 266
Parsons, B. S., 566
Patterson, J. T., **38**, 56, 80, 656
Payne, F., 82, 89
Pears, 233
Pearson, K., frontispiece, xi, 31
Pearson, N. E., 63
Pearsonian curves, 110
Pellew, C., 182
Pennsylvania, University of (See University)
Peromyscus maniculatus, 604
Petroff-Hausser bacteria counter, 205
Petunia, 261
Petunia violacea, 176, 179
Physiological salt solution, 205, 648
Physiology, gene action, 603
Pittsburgh, University of (See University)
Plant improvement, 107
Plants
  Cross-sterility in, **232**–234, **242**, 244, 247, 261–263, 274
  Inheritance of height of, 118
  Self-sterility in, **232**-**242**, 247, 248, 251, **253**, 255–262, 265, 266, 268, 270, 272–275, 294, 295
Plough, H. H., 88
Plums, 179, 265
Pollen grain studies an indication of fertility in hybrids, 125
Pollen sterility, genes in maize for, 413
Pollen studies in hybrids, 128
Pollen studies in pure species, 126
Poole, C. F., 125
Poultry, 203
Prantl, K., 433
Prell, H., 234, 236, 251
Primula, 147, 148
Primula sinensis, 147
Princeton University (See University)
Pritchard, F. G., 439
Pritchett, I. L., 203, 213
Pseudo-fertility, 234, 235, 240, 259, **260**–264, 273, 275
Public Health Laboratory, Manchester, England, 205

Quantitative characters, 107, 108, 117
Quantitative inheritance, **107**, 117, 118, 121, 123
  Genetical interpretation of statistics of third degree, 107
Quelprud, T., 74
Quinan, C., 565

Rabbit, 603, 604, 607–609, 611–619
  Character, 607–612, 614, 615, 618
  Linkage, 604
Rabbit (Continued)
  Population, analysis of, 607
  Race
    Flemish Giant, 611–613, 615
    Polish, 611–613, 615
  Sex differences, 615
Radium, 434
Randolph, L. F., 416, 429
Rankin, D., 572
Raphanus sativus, 542
Rat, 203, 686
Ratios, graph for standard errors of, 31
Redfield, H., **137**, 138, 140–142, 144, 147–150, 172, 497, 498, 500, 647
Reitz, H. L., 301
Renner, O., 393–395, 397, 398, 400, 401, 404, 406, 407, 410, 572, 574–576, 581, 584, 589–592, 595–597
Reseda odorata, 175, 253
  Self-fertility, 253
  Self-sterility, 253
Rhoades, M. M., 414, 497
Richey, F. D., 360, 505
Riddle, O., 438, 452
Ridgeway, H. W., 433
Riley, H. P., **231**, 242, 256
Robbins, W. W., 432–435, 437, 439, 440, 443
Roberts, E., 203, 296–298
Rockefeller Institute for Medical Research, **203**, 204
Roscoe B. Jackson Memorial Laboratory, 468, 674
Rothamsted Experimental Station, **107**, 121
Rudloff, F., 401
Rye, 253
  Self-fertility, 253
  Self-sterility, 253

Sachs-Skalinska, M., 193
Sadovnikova-Koltzova, M. P., 315
Salmonella aertrycke, **203**–209, 211–213, 227
  Immunity in mice, **218**, 219
  Reactions under the standard dose in mice, 209
  Results of selection for resistance to in mice, 213
  Standardization of dosage in mice, 205
  Virulence of the organism, 212
Sandiford, R. B., 31
Sands, H., 494
Savage, W. G., 205
Sax, K., 481, 493, 495, 497, 498
Saxifrage, 268
Schaffner, J. H., 439, 442, 452, 453
Schleicher, 33
Schott, R. G., 203
Schuell, 33
Schultz, J., 83, 374, 494, 500
Schwemmle, G., 182
Schwing, E., 204
Self-fertile plants
  Behavior of crosses between self-sterile and, 175
  Relations between self-sterile and, 253

Self-fertility, **175**–178, 180, 183–185, 187–190, 193, 195, 199, 232, 235, 239, 240, 242, **253**, **255**–262, 267, 270–275, 293, 294
Self sterile plants
  Behavior of crosses between self-fertile and, 175
  Relations between self-fertile and, 253
Self-sterility, **175**–179, 182, 183, 185, 190, 195, 199, 200, **231**, **232**–240, **242**, 247, 248, 251, **253**, 255–262, 265, 266, 268, 270–275, 294, 295, 328, 332
  Cardamine-Typus, 238
  Cruciferae type, 238
  Inheritance of
    Cruciferen-Typus, 237
    Personaten-Typus, 237
    Saxifragaceen-Typus, 237
    Tubifloren-Typus, 237
  Shepherd's Purse, **231**, **242**, 247, 248, 251, 256–261, 270–275, 294, 295
  Studies on, 175
SENN, P. H., 423
SEREBROVSKY, A. S., 54
SETCHELL, W. A., 512, 513
Sex determination in dioecious seed plants, Realizators, 452–456
SEYSTER, E. W., 372
Sheep, character, short ear, 603
SHEN, E., 301
Shepherd's Purse, **231**, 253, 256, 263, 267, 270
  Self-sterility in, **231**, **242**, 247, 248, 251, 256–261, 270–275, 294, 295
SHEPPARD, 612
SHLAER, 88
SHOJI, T., 432, 435, 439, 443
SHULL, G. H., 135, 176, 239, 240, 242, 243, 248, 255, 256, 258, 260, 393, 395–398, 407, 408, 410, 452, 572, 574, 577, 579
SIEMENS, H. W., 561, 564, 570
Silene roemeri, 454
SINGLETON, W. R., 413, 414, **510**, 541, 670
SIRKS, M. J., 176, 178, 233, 234, 236, 237, 244, 255, 261, 270
SIVERTZEV-DOBZHANSKY, Mrs. N. P., 370
Size factors, **603**, 605
  General, **603**–608, 610, 611, 614, 616–619
  Group, **603**–606, 609–611, 617–619
  Special, **603**–606, 610, 611, 617–619
SMITH, F. F., 261, 266
SNEDECOR, G. W., 209, 228
SNYDER, L., 336
SÖMME, S., 147
Solanum luteum, 125
Solanum nigrum, 125
Spearman Brown formula, 301
Spinacia, 454
SPRAGUE, G. F., **358**, 359, 414, 486
STADLER, L. J., 58, 362, 483
Stain
  Aceto-carmine, 415, 483, 484, 514, 515, 689
  Belling's iron-aceto carmine, 126, 661
  Crystal violet, 514
  Delafield's haematoxylin, 267
  Ehrlich's haematoxylin, 416, 484
Stain (Continued)
  Eosin, 648
  Gentian violet, 661
  Haidenhain's iron-alum haematoxylin, 73, 74, 444, 514, 648, 661
  Newton's gentian violet, 514
  Safranin, 267
  White's magdala red, safranin, azure II, 444
Standard error, **31**–33, 111, 116, 117, 121, 123, 124
Standard errors of ratios, graph for, 31
Station for Experimental Evolution, 239
Statistics of the second degree, 110
Statistics of the third degree, **107**, 109, 110, 114, 120, 122
  Quantitative inheritance, genetical interpretation, 107
STERN, C., 62, 88, 145, 370, 384
Stizolobium, 134
STOCKARD, 561
STOUT, A. B., 233, 238, 239, 242, 245, 253, 261, 265, 268, 413
STRASBURGER, E., 437, 439
STRONG, L. C., 204, 468, 469, 472, 478
STURTEVANT, A. H., 61, 75, 81–83, 86–89, 97, 98, 145, 149, 153, 155, 156, 160, 161, 167, 169, 171, 172, 369, 370, 375–377, 379, 382, 384–386, 388, 393–401, 405–409, 493, 497, 498, 500, 578, 600, 601
STURTEVANT, E. L., 433
SUMNER, F. B., 604
Superdominance, 123

Tameness in mice, inheritance of wildness and, **296**, 315
TEDIN, O., **107**, 121
Teosinte, 486, 487, 489, 492, 493, 496–500
  Crossing over, 483
  Crossing over between maize and, 484
  Durango form, 482, 483, 485–492, 499
  Florida form, 482, 483, 485–488, 490, 491, 493, 499
TERAO, H., 176, 179
Texas, University of (See University)
Thalictrum dasycarpum, 439
Thalictrum dioicum, 439
THOMPSON, D. H., 385, 386
TICE, S. C., 369, 385
TISCHLER, G., 443
Tobacco, 56
  Variegation, carmine-coral, 56
TOLMAN, E. C., 315
Tolmiea, 237, 268
Tolmiea Menziesii, 233
  Cross-fertility, 233
  Self-sterility, 233
Tomato, **351**, 353–355, 357, **545**, 549, 553, 555, 558
  Frist-chromosome genes in the, 351
    Fruit-size relations with the, 354
    Linear order of, 352
  Fruit shape, 558
  Gene, 545

Tomato (Continued)
Gene (Continued)
Compound inflorescence, 351, 354–357, 548
Cut leaf form, 555
Dwarf, 551–553, 555, 556, 558
Dwarf growth habit, 351, 354
Fruit size, 558, 559
Inflorescence, manifold effects of the, 355
Lutescent foliage and stigma color, 553–555
Non-purple stem, 555
Non-yellow, 555
Normal green foliage and stigma color, 553–555
Oblate major fruit shape, 351
Ovate major fruit shape, 351, 354
Potato leaf form, 555
Pubescent epidermis, 351
Purple stem, 555
Red flesh color, 552, 553, 555
Simple inflorescence, 351, 356, 548
Skin color of fruits, 555
Smooth epidermis, 351
Standard, 552, 553, 555, 556, 558
Tall growth habit, 351
Yellow flesh color, 552–555, 558
Genes
First chromosome, 351
Fruit size relations with the first-chromosome, 354
Linear order of first-chromosome, 352
Growth habit, 558
Hybrids, 551, 557
Inheritance
Disomic, 554, 555, 557
Trisomic, 551–553
Linkage, 353, 554, 558
Non-hybrid, 546, 547
Simple-trisomic types, 546, 548–550, 557, 558
Tetrasomic types, 546, 550, 551
Trisomic types, 545–547, 549, 552–554
Characteristics of, 554
Variety
Dwarf Aristocrat, 546, 547, 549, 552–554, 556, 558
Dwarf Champion, 553
Grape Cluster, 355, 356
Marglobe, 351, 354
Red Pear, 556
Topley, W. W. C., 205
Torvik, M. M., 7, 20
Tradescantia, 494
Translocation, a new type of mottled-eyed Drosophila due to an unstable, 38
Triticum, 689
Triticum spelta, 695
Triticum vulgare, 695
Tuberculosis, 203
Turner, F. M., 172
Typhoid, mouse, 204, 205
Tyzzer, E. E., 203, 469

Ubisch, von, G., 327, 330, 332
Umanski, A. J. V., 31
United States Department of Agriculture, 358, 360, 414, 415
University
Bucknell, 415
Columbia, 31, 81, 83, 204
Cornell, 360, 413–415, 500, 503
Harvard, 175, 327, 510, 621, 660
Louisiana State, 298
Oslo, Anatomical Institute, 60
Princeton, 231, 239, 242, 273
Washington, 637
University of
California, 125, 511, 545, 560
Chicago, 29, 603
Illinois, 296, 297
Maine, 204
Pennsylvania, 579
Pittsburgh, 1, 29
Texas, 38
Virginia, 432
Wisconsin, 204

Vaisberg, M., 342, 343
Van Atta, E. A., 637
Van Atta, E. W., 639
Van Atta, L. C., 639
Variance, 108–110, 112, 113, 116–119
Analysis of, 617, 618
Vaughan's Seed Store, 433
Veal infusion agar slants, 205
Verbascum, 179, 256
Verbascum phoeniceum, 176, 179, 233, 236, 237, 261
Verbascum, self-sterility, 256
Veronica, 256, 269
Self-sterility, 256
syriaca, 176, 234, 235
Cross-sterility, 234
Self-sterility, 234, 235
Verschuer, von O., 561, 566, 570
Vicari, E. M., 315
Victoreen dosimeter, 638
Virginia, University of (See University)
Vries, de, H., 393, 394, 401, 402, 407, 408, 572, 574, 595, 596

Walsh, L. B., 261
Ward, L., 82
Washington University (See University)
Wasp, parasitic (See Habrobracon)
Watkins, A. E., 689
Weatherwax, P., 358
Webster, L. T., 204, 213
Weibullsholm Plant Breeding Station, 107
Weinstein, A., 89, 637
Weitz, W., 560
Weldin, J. C., 204
Wenstrup, E. J., 6
Werkman, C. H., 228
White, O. E., 444, 457
Whiting, A. R., 6, 12, 18, 20
Whiting, P. W., 1, 3, 6, 7, 13, 17, 21, 26

WHITMAN, 438
WIENER, A. S., **335**, 342, 343
WIGGANS, R. G., 415
Wildness and tameness in mice, inheritance of, **296**, 315
WILLIAMS, J. W., 569
Williams Seed Company, 433
WILSON, G. S., 205, 213
WILSON, M. O., 562
WILSON, P. T., **560**, 563, 564
WINGE, Ö., 452
WINKLEMAN, E., 637
Wisconsin, University of (See University)
WOODWORTH, C. M., 296
WRIGHT, S., 203, 220, 385, **603**

X-ray, 7, 18, 22–25, 28, 38, 54, 56, 58, 137, 149, 370, 371, 375, 386, 387, 434, 637, 638, 657, **674**

YAMPOLSKY, C., 434, 436, 439, 452, 453
YARNELL, S. H., 182, 185, 201, 235, 238, 253, 255, 256, 262, 265, 672
YERKES, R. M., 297, 315

Zea-Euchlaena hybrids, 481
  Chiasma formation, 493, 495, **496**
  Chromosome association, **481**, **488**, **493**, 495, **496–498**
    Diakinesis and metaphase, 488
    Pachytene, 487
    Post-diplotene, **493–495**, **496**, 500
    Relation of crossing over to, 481
  Chromosome disjunction, **493**, 495, **498**
  Chromosomes, end association of, 496
  Conjugation, 493. 495
  Crossing over, **481**, 486, 487, **492**, 493, 495–**497**, 498, 500
    Cause of reduction in, 492
    Genetic studies of, 485
  Cytology, 486
  Hetero-fertilization, 486
  Sterility, pollen 492
  Translocation, 496, 499
Zea mays (See maize), 545, 695
Zeiss compound ocular, 650
ZELENY, C., 369